

# Safety Data Sheet

## Umber and Sienna Colours



### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	Umber and Sienna Colours
Product number	120,121,124,125,126
CAS number	12713-03-0
EC number	235-784-5

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Colouring agent for paints, concrete and coatings
-----------------	---

#### 1.3. Details of the supplier of the safety data sheet

Supplier	Michael Harding Art Formulas Ltd Unit K Springvale Industrial Estate Cwmbran Torfaen NP44 5BE +44(0)1633484700 accounts@michaelharding.co.uk
----------	--

#### 1.4. Emergency telephone number

Emergency telephone	+44(0)1633484700 available between 08:00 - 16:30
---------------------	--

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (EC 1272/2008)

Physical hazards	Not Classified
Health hazards	STOT RE 2 - H373
Environmental hazards	Not Classified

**Human health** May be slightly irritating to eyes. Frequent inhalation of dust over a long period of time increases the risk of developing lung diseases. May be slightly irritating to skin.

**Environmental** The product is not expected to be hazardous to the environment.

**Physicochemical** Powder may irritate skin. May cause respiratory system irritation.

#### 2.2. Label elements

EC number	235-784-5
-----------	-----------

# Safety Data Sheet

## Umber and Sienna Colours



### Hazard pictograms



<b>Signal word</b>	Warning
<b>Hazard statements</b>	H373 May cause damage to organs through prolonged or repeated exposure.
<b>Precautionary statements</b>	P260 Do not breathe vapour/ spray. P314 Get medical advice/ attention if you feel unwell. P501 Dispose of contents/ container in accordance with national regulations.
<b>Contains</b>	CRYSTALLINE SILICA

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

<b>Umber</b>	60-100%
CAS number: 12713-03-0	EC number: 235-784-5
Exempt under REACH	
<b>Classification</b>	
Not Classified	
<b>CRYSTALLINE SILICA</b>	5-10%
CAS number: 14808-60-7	EC number: 238-878-4
<b>Classification</b>	
STOT RE 1 - H372	

The full text for all hazard statements is displayed in Section 16.

**Composition comments** 'Burnt Umbers' / 'Raw Umbers' Naturally occurring mixture of Fe<sub>2</sub>O<sub>3</sub>/MnxOy/SiO<sub>2</sub>/Al<sub>2</sub>O<sub>3</sub>/H<sub>2</sub>O

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>Inhalation</b>	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Keep affected person under observation. Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel. Never give anything by mouth to an unconscious person.
<b>Skin contact</b>	Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.
<b>Eye contact</b>	Rinse with water. Get medical attention if any discomfort continues.

### 4.2. Most important symptoms and effects, both acute and delayed

**Inhalation** Frequent inhalation of dust over a long period of time increases the risk of developing lung diseases.

# Safety Data Sheet

## Umber and Sienna Colours



Ingestion	Due to the physical nature of this product, it is unlikely that ingestion will occur.
Skin contact	Prolonged contact may cause redness, irritation and dry skin.
Eye contact	May cause temporary eye irritation.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

Notes for the doctor	No specific recommendations.
----------------------	------------------------------

### **SECTION 5: Firefighting measures**

#### **5.1. Extinguishing media**

**Suitable extinguishing media** Use fire-extinguishing media suitable for the surrounding fire.

**Additional information:**

#### **5.2. Special hazards arising from the substance or mixture**

**Specific hazards** No unusual fire or explosion hazards noted.

#### **5.3. Advice for firefighters**

**Protective actions during firefighting** N/A

**Special protective equipment for firefighters** Use protective equipment appropriate for surrounding materials.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet.

#### **6.2. Environmental precautions**

**Environmental precautions** Avoid spreading dust or contaminated materials. Avoid the spillage or runoff entering drains, sewers or watercourses.

#### **6.3. Methods and material for containment and cleaning up**

**Methods for cleaning up** Collect spillage with a shovel and broom, or similar and reuse, if possible. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

#### **6.4. Reference to other sections**

**Reference to other sections** For personal protection, see Section 8.

### **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

**Usage precautions** Avoid inhalation of dust and contact with skin and eyes.

#### **7.2. Conditions for safe storage, including any incompatibilities**

**Storage precautions** Keep in a cool place. Keep container dry. Do not store near heat sources or expose to high temperatures. Store at temperatures not exceeding «Value in °C»°C/«Value in °F»°F.

#### **7.3. Specific end use(s)**

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

### **SECTION 8: Exposure controls/Personal protection**

#### **8.1. Control parameters**

# Safety Data Sheet

## Umber and Sienna Colours



### Occupational exposure limits

#### CRYSTALLINE SILICA

Long-term exposure limit (8-hour TWA): WEL 0,1 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit

### 8.2. Exposure controls

#### Protective equipment



#### Appropriate engineering controls

Provide adequate general and local exhaust ventilation. Observe any occupational exposure limits for the product or ingredients.

#### Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Dust-resistant, chemical splash goggles.

#### Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.

#### Hygiene measures

Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke.

#### Respiratory protection

Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance	Dusty powder.
Colour	Yellow. Red.
Odour	Odourless.
pH	pH (concentrated solution): 3-9
Initial boiling point and range	Not relevant.
Relative density	3 - 4 @ °C
Bulk density	650-750 kg/m <sup>3</sup>
Solubility(ies)	Insoluble in water. Mineral acids.

### 9.2. Other information

Other information	No information required.
Particle size	0.3-0.6
Volatile organic compound	This product contains a maximum VOC content of 0 %.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

### 10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

# Safety Data Sheet

## Umber and Sienna Colours



### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** Not relevant.

### 10.4. Conditions to avoid

**Conditions to avoid** Avoid contact with the following materials: Oxidising agents. Reducing agents.

### 10.5. Incompatible materials

**Materials to avoid** No specific material or group of materials is likely to react with the product to produce a hazardous situation.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Does not decompose when used and stored as recommended.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

**Toxicological effects** No data recorded.

#### Acute toxicity - inhalation

**ATE inhalation (gases ppm)** 45,000.0

**ATE inhalation (vapours mg/l)** 110.0

**ATE inhalation (dusts/mists mg/l)** 15.0

**General information** No specific health hazards known.

**Skin contact** Slightly irritating.

**Eye contact** May cause temporary eye irritation.

## SECTION 12: Ecological information

**Ecotoxicity** The product is not expected to be hazardous to the environment.

### 12.1. Toxicity

**Toxicity** Not considered toxic to fish.

### 12.2. Persistence and degradability

**Persistence and degradability** The product is not readily biodegradable.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** Bioaccumulation is unlikely to be significant because of the low water-solubility of this product.

### 12.4. Mobility in soil

**Mobility** The product is insoluble in water.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### 12.6. Other adverse effects

**Other adverse effects** None known.

# Safety Data Sheet

## Umber and Sienna Colours



### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

<b>General information</b>	Disposal to licensed waste disposal site in accordance with local Waste Disposal Authority.
<b>Disposal methods</b>	Reuse or recycle products wherever possible. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

### SECTION 14: Transport information

<b>General</b>	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
----------------	--

#### 14.1. UN number

Not applicable.

#### 14.2. UN proper shipping name

Not applicable.

#### 14.3. Transport hazard class(es)

No transport warning sign required.

#### 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**

No.

#### 14.6. Special precautions for user

Not applicable.

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

**Transport in bulk according to** Not applicable.

**Annex II of MARPOL 73/78  
and the IBC Code**

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

<b>National regulations</b>	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
<b>EU legislation</b>	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Regulation (EU) No 453/2010 of 20 May 2010. Commission Regulation (EU) No 2015/830 of 28 May 2015.
<b>Authorisations (Annex XIV Regulation 1907/2006)</b>	No specific authorisations are known for this product.
<b>Restrictions (Annex XVII Regulation 1907/2006)</b>	No specific restrictions on use are known for this product.

# Safety Data Sheet

## Umber and Sienna Colours



### 15.2. Chemical safety assessment

Not required as non-hazardous material

### SECTION 16: Other information

<b>Issued by</b>	Product Regulations Dept
<b>Revision date</b>	21/05/2019
<b>Revision</b>	10
<b>Supersedes date</b>	07/11/2016
<b>SDS number</b>	14322
<b>SDS status</b>	Approved.
<b>Hazard statements in full</b>	H372 Causes damage to organs (Lungs) through prolonged or repeated exposure. H373 May cause damage to organs through prolonged or repeated exposure.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.